

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: [Nonresponsive based on revised scope @westonsolutions.com]; [Nonresponsive based on revised scope @epa.gov]; [Nonresponsive based on revised scope @epa.gov]
From: [Nonresponsive based on revised scope] O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C7EDFADEB7E14594B861A8AE389F6817- [Nonresponsive based on revised scope]
Sent: Fri 4/26/2019 5:22:06 PM (UTC)
Subject: Case# 48100, SDG# MC0AN9 - Validated Data for Shiloh Church Road Site

[48100 MC0AN9 ltr.pdf](#)
[48100 MC0AN9 DVR.pdf](#)
[48100 MC0AN9 SSR.pdf](#)
[EQulS 1 48100 MC0AN9 VAL.xls](#)
[EQulS 2 48100 MC0AN9 VAL.xls](#)
[EQulS 3 48100 MC0AN9 VAL.xls](#)
[EQulS 48100 MC0AN9 VAL.xls](#)


Christine Wagner
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Christine,

Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Site, Case# 48100, SDG# MC0AN9. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, [Nonresponsive based on revised scope] by phone at 410-305-2607 or e-mail at [Nonresponsive based on revised scope @epa.gov] if additional assistance is needed.

TO # 0002 TDF # 0319029



[Nonresponsive based on revised scope] | Research Technician | 410-305-3013 | [Nonresponsive based on revised scope @epa.gov]

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350